

FOOTBALL

Scoreboard Displays



VISION BY DESIGN

VISION TIME

Model FB-1-1306

BASIC LED FOOTBALL SCOREBOARD

SIZE: 13' x 6' 156"L x 72"H x 6.75" D	Power Requirements: 120V/220V 50/60 Hz 263 W	Installed Weight: Approx. 390 lbs/177 kgs.
---	--	--

SCOREBOARD FEATURES

- 21" digits for scores, time and quarter
- Quarter to 9
- Time to 99:99
- Scoring per team to 99
- Final minute 1/10 or 1/100 second timing
- Brackets for mounting poles supplied

CAPTION HEIGHTS

HOME	10"
GUEST	10"
QRT	10"

STANDARD FEATURES


- Standard colour is black with white captions. Other colours are available - contact your distributor or the factory
- Standard caption language is English. Other languages are available - consult your distributor or the factory.
- 200 feet of cable is included with each scoreboard.
- 120 Volt 50/60 Hz power input
- For operator **SAFETY**, HDD's standard controller does not require AC power.

OPTIONS AVAILABLE

- Synchronization with other HDD scoreboards
- Remote start/stop switch (used to control the game time independently of the controller)
- 220 Volt 50/60 Hz operation
- Wireless control
- Advertising panels available

WHEN ORDERING, PLEASE SPECIFY

- Model of scoreboard
- Model of controller
- Colour (if other than black)
- Caption language (if other than English)
- Length of control cable (if longer than 200')
- Options required
- Input voltage preferred
- If a protective screen is required



13'-0"

6'-0"

HDD



HAMILTON DIGITAL
DESIGNS LTD.

MODEL #	FB-1-1306	DIGIT SIZE	21"	CAPTION SIZE	10"
SIZE	L=156" H=72"				



VISION BY DESIGN

VISION TIME

Model FB-2-1508

WITH YARDS AND DOWNS

SIZE: 15' x 7'6" 180"L x 90"H x 6.75"D	Power Requirements: 120V/220V 50/60 Hz 350 W	Installed Weight: Approx. 570 lbs/259 kgs.
--	--	--

SCOREBOARD FEATURES

- 24" digits for scores and time
- 21" digits for down, yards to go and qtr
- Qtr and Down to 9 using
- Scoring per team and Yds to go to 99
- Time to 99:99
- Final minute 1/10 or 1/100 second timing
- Brackets for mounting poles supplied

CAPTION HEIGHTS

HOME	12"
GUEST	12"
QTR	10"
YDS TO GO	10"
DOWN	10"

STANDARD FEATURES

- Standard colour is black with white captions. Other colours are available - contact your distributor or the factory
- Standard caption language is English. Other languages are available - consult your distributor or the factory.
- 200 feet of cable is included with each scoreboard.
- 120 Volt 50/60 Hz power input
- For operator **SAFETY**, HDD's standard controller does not require AC power.


OPTIONS AVAILABLE

- Synchronization with other HDD scoreboards
- Remote start/stop switch (used to control the game time independently of the controller)
- 220 Volt 50/60 Hz operation
- Wireless control
- Advertising panels available

WHEN ORDERING, PLEASE SPECIFY

- Model of scoreboard
- Model of controller
- Colour (if other than black)
- Caption language (if other than English)
- Length of control cable (if longer than 200')
- Options required
- Input voltage preferred
- If a protective screen is required

15'-0"



7'-6"



VISION BY DESIGN

VISION TIME

Model FB-3-1808

YARDS, BALL ON, YARDS AND DOWNS

SIZE: 18' x 8' 216"L x 96"H x 6.75"D	Power Requirements: 120V/220V 50/60 Hz 424 W	Installed Weight: Approx. 725 lbs/329 kgs.
--	--	--

SCOREBOARD FEATURES

- 24" digits for scores and time
- 21" digits for down, ball on, yards to go and quarter
- Qtr and Down to 9
- Scoring per team, Yards to go and Ball on to 99
- Time to 99:99
- Possession indicator via LED football icon
- Final minute 1/10 or 1/100 second timing
- Brackets for mounting poles supplied

CAPTION HEIGHTS

HOME	12"
GUEST	12"
TIME	12"
DOWN	10"
YDS TO GO	10"
QTR	10"
BALL ON	10"

STANDARD FEATURES


- Standard colour is black with white captions. Other colours are available - contact your distributor or the factory
- Standard caption language is English. Other languages are available - consult your distributor or the factory.
- 200 feet of cable is included with each scoreboard.
- 120 Volt 50/60 Hz power input
- For operator **SAFETY**, HDD's standard controller does not require AC power.

OPTIONS AVAILABLE

- Synchronization with other HDD scoreboards
- Remote start/stop switch (used to control the game time independently of the controller)
- 220 Volt 50/60 Hz operation
- Wireless control
- Advertising panels available

WHEN ORDERING, PLEASE SPECIFY

- Model of scoreboard
- Model of controller
- Colour (if other than black)
- Caption language (if other than English)
- Length of control cable (if longer than 200')
- Options required
- Input voltage preferred
- If a protective screen is required



HAMILTON DIGITAL
DESIGNS LTD.

MODEL #	FB-3-1808	DIGIT SIZE	24" & 21"	CAPTION SIZE	12" & 10"
SIZE	L=216" H=96"				



VISION BY DESIGN

VISION TIME

Model FB-4-3208

YARDS (RUSH, PASS & TOTAL)

SIZE: 32' x 8'6" 384"L x 102"H x 6.75"D	Power Requirements: 120V/220V 50/60 Hz 951 W	Installed Weight: Approx. 1360 lbs/590 kgs.
---	--	---

SCOREBOARD FEATURES

- 31" digits for scores and time
- 24" digits for Down, Yards to go and Ball on
- 20" digits for Rush/Pass/Total Yards, Qtr and TOL
- Scores, Yards to go and Ball on to 99
- Qtr, TOL and Down to 9
- Time to 99:99
- Possession indicator via LED football icon
- Final minute 1/10 or 1/100 second timing
- Brackets for mounting poles supplied

CAPTION HEIGHTS

HOME	12"
GUEST	12"
QTR	8"
TOL	8"
TO GO	8"
DOWN	8"
BALL ON	8"
RUSH/YARDS	7"
PASS/YARDS	7"
TOTAL/YARDS	7"

STANDARD FEATURES


- Standard colour is black with white captions. Other colours are available - contact your distributor or the factory
- Standard caption language is English. Other languages are available - consult your distributor or the factory.
- 200 feet of cable is included with each scoreboard.
- 120 Volt 50/60 Hz power input
- For operator **SAFETY**, HDD's standard controller does not require AC power.


OPTIONS AVAILABLE

- Synchronization with other HDD scoreboards
- Remote start/stop switch (used to control the game time independently of the controller)
- 220 Volt 50/60 Hz operation
- Wireless control
- Advertising panels available

WHEN ORDERING, PLEASE SPECIFY

- Model of scoreboard
- Model of controller
- Colour (if other than black)
- Caption language (if other than English)
- Length of control cable (if longer than 200')
- Options required
- Input voltage preferred
- If a protective screen is required



 HAMILTON DIGITAL DESIGNS LTD.	MODEL #		DIGIT SIZE		CAPTION SIZE	
		FB-4-3208		31", 24" & 20"		12", 8" & 7"
	SIZE	L=384" H=102"				



VISION BY DESIGN

VISION TIME

Model FB-24-CDT

COUNTDOWN TIMER

SIZE: 3'3" x 2'8" 39"L x 32"H x 6.75" D	Power Requirements: 120V/220V 50/60 Hz 263 W	Installed Weight: Approx. 50 lbs/22 kgs.
---	--	--

SCOREBOARD FEATURES

- 24" digits

CAPTION HEIGHTS

N/A

STANDARD FEATURES


- Standard colour is black. Other colours are available - contact your distributor or the factory
- 200 feet of cable is included with each scoreboard.
- 120 Volt 50/60 Hz power input
- For operator **SAFETY**, HDD's standard controller does not require AC power.


OPTIONS AVAILABLE

- 220 Volt 50/60 Hz operation
- Wireless control
- Advertising panels available

WHEN ORDERING, PLEASE SPECIFY

- Model of display
- Model of controller
- Colour (if other than black)
- Length of control cable (if longer than 200')
- Options required
- Input voltage preferred
- If a protective screen is required



 HAMILTON DIGITAL DESIGNS LTD.	MODEL #	DIGIT SIZE	CAPTION SIZE
	FB-24-CDT	24"	N/A
	SIZE L=39" H=32"		